

INOX



RUBINO - P 122

MELODY - P 028	NIAGARA RIO - P 086
ARMONIA - P <b>036</b>	COLORADO - P 088
YACHT - P <b>042</b>	BIRDY - P <b>092</b>
RIVA - P <b>046</b>	TELEPHONE - P 096
FLORIDA - P <b>050</b>	SHUT OFF - P 102
AURORA - P <b>052</b>	SHUT OFF CUBE - P 104
TECNO - P 062	PELLICANO - P 106
TECNO CUBE - P 066	PELLICANO DUO - P 110
TECNO CUBE SQUARE - P 070	PELLICANO CUBE - P 112
TECNO CUBE 100 - P 072	
	Archways
Fountains	BROOKLYN - P 116
NIAGARA - P 080	CUBE - P 120
	ARMONIA - P 036 YACHT - P 042 RIVA - P 046 FLORIDA - P 050 AURORA - P 052 TECNO - P 062 TECNO CUBE - P 066 TECNO CUBE SQUARE - P 070 TECNO CUBE 100 - P 072  Fountains

PRELUDIO - P 024

NIAGARA CUBE - P 084



# FROM LUXURY BOATING TO SWIMMING POOLS AND GARDENS

## ARTISANAL CREATIONS, IN STEEL, THAT LAST

his is the story of a group of Italian artisans sharing the passion for navigation and the sea. We are specialized in the production of accessories and equipments for luxury boating. A leading edge sector in Tuscany, especially in Versilia, that requires very specific technical skills and distinct artistic sensibility.

Creating products for luxury yachts means balancing attention to beauty and style with quality of materials and processes.

Our creations are all weatherized and are able to preserve their aesthetic and functional characteristics over time.

Versilia has always been a land of men able to look beyond the horizon with optimism in search of new opportunities. These experiences led to the idea of bringing ashore the artisanal passion for beautifully crafted and durable objects, which can decorate and enhance swimming pools and the most enchanting gardens.

**Inoxstyle** creates objects, unique in its genre, characterized by simple lines but at the same time elegant and sophisticated.

Artisanal creations, in steel, that last.

## UNIQUE PRODUCTS FOR UNIQUE SPACES

We constantly work with the most esteemed architects and designers to be able to deliver unique products, which can be recognized and appreciated.

#### Co-design

We have developed co-design services ranging from custom drawing to joint design, specifically with designers and architects.

#### Customization

The products from the catalogue can be customized according to our customers' wishes. For example: logos or aesthetic elements engraving, coordinated with the space where the object is placed; decorative lighting.

#### Service and Maintenance

Naturally, such high quality products are supported by a service characterized by great efficiency and availability.









## HIGH-QUALITY MATERIALS AND ARTISANSHIP

## UNRIVALED BEAUTY

eauty, quality, uniqueness and durability.

We base our products on these values. The showers design is unique and exclusive, developed in collaboration with architects and designers in order to deliver innovative and elegant pro-

ducts. The material is always and only AISI 316L stainless steel, in both body and screws.

Quality, durability and resistance to environmental agents are guaranteed because the oxidizable components are completely eliminated. The objects are made in a **single piece**. No block assembly or junctions. The absence of sharp edges, exposed to atmospheric elements, ensures sturdiness and durability, even in the most difficult environmental conditions, e.g. in the presence of brackish and chlorine. **Exposed screws are reduced to a minimum.** It is an aesthetic choice, which favors beauty, but also a functional choice to prevent oxidation, limestone or rust deposits.

ach object is treated with mirror-like polishing, "Nautical" quality, manually done. This technique makes it glossier, therefore more aesthetically appealing, and provides a longer durability being less susceptible to external agents. We use top quality Italian hydraulic components.

Each showerhead utilizes silicone rubber. This makes cleaning very easy due to the absence of limestone clogging. Each product can be equipped with **electronic faucet** with a timer function, to adjust the duration of the water stream. Aesthetically modern and pleasant, anti-tampering, enhanced by the pleasant hydro-massage function.

To facilitate the storage during the winter months, on many models we have implemented the option of a **quick connection base** to move the showers more easily. It also provides greater anti-vandal safety. We are open to the demands and needs of each customer. You can **customize** each model, change a few technical features or make incisions, even for lighting, in the body of the product.

LET'S DISCOVER TOGETHER ALL THE INOXSTYLE MODELS FEATURES:

The design is unique and exclusive.

The material is always and only AISI 316L stainless steel.

The objects are made in a single piece.

**Exposed screws** are reduced to a minimum.

Each object is treated with mirrorlike polishing, "Nautical" quality, manually done.

We use top quality Italian hydraulic components.

Each showerhead utilizes silicone ruhher

The faucet is electronic with a timer function.

You can **customize the body of each shower** and of each product with engraved and illuminated writing.









## INTERLUDE MOTIVO ARIA PRELUDIO MELODY ARMONIA

## SOUNDS PERFECT







## INTERLUDE

utdoor shower. A shower with a single arched arm, with a rectangular cross section, with double recessed showerheads. Also available in a two arched arms version, with a rectangular cross section, opposite to each other, each with double recessed showerheads.

## AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Product made in a single piece: no block assembly or junctions.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

**Dual showerhead** *recessed into the shower body.* 


Customization (text or logos, lights) is possible upon request.











Alternative Faucets

• Mixer on external column h 80 cm 60x60 mm [cod. 51.011]

• "Stella" faucet on external column h 80 cm 60x60 mm

[cod. 51.012]

• Floor mounted timed flow faucet [cod. 51.004]

• Timed flow faucet (on external column h 80 cm 60x60 mm)

[cod. 51.013]

**Options** 

Satin finish [cod. 55.001]
Telephone showerhead [cod. 53.001]
Water service output 1/2" [cod. 56.001]

**Cod:** 01.024

Name: Interlude shower

Description: Single arched arm, with a rectangular cross

section, with dual showerheads.

Standard Configuration

2 showerheads - Body 60x30 mm

Showerhead on side 30 mm

**Faucet:** "Genius" electronic faucet [cod. 51.200]

**Showerhead:** Showerhead recessed into the body

Mounting: Visible technical screws

Measurements: Main body 30x60 mm, h 230 cm

Showerhead h 170 and 210 cm Base 200x200 mm, h 40 mm

Materials: AISI 316L stainless steel, quick connection

coupling system

Finish: Glossy, mirror-like manual polishing, "nautical"


level quality

**Hook-up:** Water input 1/2"

Extra: Photocells columns












## INTERLUDE DUPLE



**Alternative Faucets** 

• Mixer on external column h80 cm 60x60 mm

[cod. 51.011]

• "Stella" faucet on external column h80 cm 60x60 mm

[cod. 51.012]

• Floor-mounted timed flow faucet

[cod. 51.004]

• Timed flow faucet on external column h80 cm 60x60 mm

[cod. 51.013]

**Options** 

• Satin finish [cod. 55.001] • Telephone showerhead [cod. 53.001] • Water service output 1/2" [cod. 56.001] Cod: 01.054

Name: Interlude duple shower

Description: Shower with two arched arms, with a rectangular

cross section, opposite to each other, each with a

double recessed showerhead

Standard Configuration

Double body with 2 recessed showerheads

Body 60x30 mm showerhead on the side 30 mm

Faucet: "Genius" electronic faucet [cod. 51.200]

Showerhead: Showerhead recessed into the shower body

Mounting: Visible technical screws

Measurements: Main body 30x60 mm, h 230 cm

Showerhead height 170 and 210 cm

Base 200x200 mm, h 40 mm

Materials: AISI 316L stainless steel, quick connection

coupling system

Finish: Glossy, mirror-like manual polishing, "nautical"


level quality

Hook-up: Water input 1/2"

Extra: Photocells columns




# INTERLUDE DUPLE









**Alternative Faucets** 

• Mixer (on external column h 80 cm 60x60 mm) [cod. 51.011]

• "Stella" faucet (on external column h 80 cm 60x60 mm)

[cod. 51.012]

• Floor-mounted timed flow faucet

[cod. 51.004]

• Timed flow faucet (on external column h80 cm 60x60 mm)

[cod. 51.013]

**Options** 

Satin finish [cod. 55.001]
Telephone showerhead [cod. 53.001]
Water service output 1/2" [cod. 56.001]

Cod: 01.052

Name: Motivo shower

Description: Shower with a single arched arm, with a

rectangular cross section, with single showerhead

Standard Configuration

Single showerhead - Body 60x30 mm; showerhead

on the side 60 mm

Faucet: "Genius" electronic faucet [cod. 51.200]

Showerhead: Showerhead recessed into the body

Mounting: Visible technical screws

Measurements: Main body 60x30 mm, h 230 cm

Showerhead height 220 cm Base 200x200 mm, h 40 mm

Materials: AISI 316L stainless steel, quick connection

coupling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"
Extra: Photocells columns










## MOTIVO DUPLE 2B



**Alternative Faucets** 

• Mixer on external column h80 cm 60x60 mm

[cod. 51.011]

• "Stella" faucet on external column h80 cm 60x60 mm

[cod. 51.012]

Floor-mounted timed flow faucet

[cod. 51.004]

• Timed flow faucet on external column h80 cm 60x60 mm

[cod. 51.013]

**Options** 

Satin finish [cod. 55.001]
Telephone showerhead [cod. 53.001]
Water service output 1/2" [cod. 56.001]

Cod: 01.053

Name: Motivo Duple (2B) Shower

Description: Shower with two arched arms, opposite to each

other with a rectangular cross section, each

with single recessed showerhead

Standard Configuration

Arms of 60x30mm with a single showerhead

for each arm on the side 60 mm

Faucet: "Genius" electronic faucet [cod. 51.200]

**Showerhead:** Showerhead recessed into the shower body

Mounting: Visible technical screws

Measurements: Main body 60x30 mm, h 230 cm

Showerhead height 220 cm Base 200x200 mm, h 40 mm

Materials: AISI 316L stainless steel, quick connection

coupling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

Extra: Photocells columns



## MOTIVO DUPLE 2B







## ARIA

utdoor shower. Single body, circular cross section with arched single arm.
Also available with a two arched arm, on opposite sides.
Also available in the version **Beach&Garden** with in-ground mounting, suitable for beaches and gardens.

## AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

**Invisible mounting screws:** plate cover hides screws on the mounting base; better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions. Aesthetically pleasant and antitampering.

Faucet assembly produced exclusively for the shower.

Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.

Possibility of quick connection base to more easily remove the shower. Easy storage in the winter months and tamper-proof security.


Customization (text or logos, lights) is possible upon request.











**Cod:** 01.004

Name: Aria Shower

Description: Single body shower, with circular cross section

and single arched arm

## Standard Configuration

Single body

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Ocean" showerhead dia. 150 mm [cod. 52.006]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia.60 mm, h 140 cm

Arc dia. 30 mm

Showerhead h 210 cm

Materials: AISI 316L stainless steel, quick connection fitting

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

## In-ground Mounting Configuration



Cod: 02.005

Description: In-ground mounting variant

Mounting: In-ground mounting [cod. 50.100]

Measurements: Body dia.60 mm, h 230 cm

(90 cm in-ground) - Arc

dia. 30 mm - Showerhead h 210 cm

#### Alternative Faucets

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

#### Alternative Showerheads

[cod. 52.001]
[cod. 52.002]
[cod. 52.101]
[cod. 52.003]
[cod. 52.102]
[cod. 52.004]
[cod. 52.005]
[cod. 52.103]
[cod. 52.104]

### Options

•	Satin finish	[cod. 55.001]
•	Mounting backplate	[cod. 50.101]
•	Foot rinse (faucet Stella & "Loft" or "Flavia"	showerhead)

• Foot rinse (faucet Stella & "Loft" or "Flavia" showerhead)

Telephone showerhead [cod. 53.001]
Water service output 1/2" [cod. 56.001]

• Quick connection base (extractable shower) [cod. 50.200]














Cod: 01.051

Name: Aria 2B Shower

**Description:** Single body shower, with circular cross section

and two arched arms, opposite to each other

## **Standard Configuration**

Single shower body with two arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Ocean" showerhead dia. 150 mm [cod. 52.006]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Main body dia. 100 mm, h 140 cm

Arched end dia. 30 mm Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection

coupling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"



## In-ground Mounting Configuration

Cod: 02.142

Description: In-ground mounting variant

Mounting: In-ground mounting [cod. 50.100]

Measurements: Main body dia.100 mm, h 230 cm

(90 cm in-ground) - arched end

dia. 30 mm - Height Showerhead 210 cm

#### **Alternative Faucets**

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

#### **Options**

• Sati	in finish						[cod. 55.001]
• Mo	unting bac	kplate					[cod. 50.101]
	. (C	0 11	) ((T	C 22	CT1	. 22 7	1 1)

• Foot rinse (faucet Stella & "Loft" or "Flavia" showerhead)

[cod. 54.001]
Telephone showerhead
[cod. 53.001]
Water service output 1/2"
[cod. 56.001]











## PRELUDIO

hower with two arched and intertwined arms, with a rectangular cross section, each with single recessed showerhead. Also available in a version with two arched arms, opposite to each other, with a rectangular cross section or with a single curved arm, with a rectangular cross section.

## AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Product made in a single piece: no block assembly or junctions.

Very few visible screws: reduction of components that are prone to oxidization and wonderful aesthetics.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

#### **UNIQUE ELEMENTS**

Showerhead recessed in each shower arm.

Electronic faucet with timer and hydro-massage functions. Aesthetically pleasant and antitampering.


**Customization** (text or logos, lights) is possible upon request.







## PRELUDIO 2B



Δ	ltorn	ativo	Fauce	t۵
А	itern	arive	rance	rs.

• Mixer on external column	[cod. 51.011]
h 80 cm 60x60 mm  • "Stella" faucet on external column	[cod. 51.012]
h 80 cm 60x60 mm	
• Floor-mounted timed flow faucet	[cod. 51.004]
• Timed flow faucet su Column esterna	[cod. 51.013]
h 80 cm 60x60 mm	

### **Options**

• Satin finish	[cod. 55.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]

**Cod:** 01.034

Name: Preludio (2B) Shower

**Description:** Shower with two arched and intertwined arms,

with a rectangular cross section, each with single

recessed showerhead.

## Standard Configuration

60x30 mm arms with a single showerhead recessed for each arm on the side 60 mm

Faucet: "Genius" electronic faucet [cod. 51.200]

Showerhead: Showerhead recessed into the shower body

Mounting: Visible mounting

Measurements: Main body 60x30 mm, h 230 cm

Showerhead height 220 cm Base 240x240 mm, h 40 mm

Materials: AISI 316L stainless steel, quick connection

coupling system


Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"
Extra: Photocells columns



## PRELUDIO 2B







## MELODY

hower in a single body, with a circular cross section, with three arched arms arranged at 120°. Also available in a version with two arched arms, opposite to each other, or with four perpendicular arched arms.

Also available in the version Beach&Garden with inground mounting, suitable for beaches and gardens.

## AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

**Invisible mounting** plate cover hides screws on the mounting base: better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Faucet assembly produced exclusively for the shower.

Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.

Possibility of quick connection base to remove the shower more easily. Easy storage in the winter months and tamper-proof security.


**Customization** (text or logos, lights) is possible upon request.







## INOX TYÜE MELODY 2B



Cod: 01.048

Name: Melody 2B Shower

**Description:** Shower in a unique body, with a circular cross sec-

tion and two arched arms, opposite to each other

## Standard Configuration

Single shower body with two arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Disco" showerhead dia. 200 mm [cod. 52.002]

Mounting: Bottom plate dia. 280 mm [cod. 50.005]

Measurements: Main body dia.140 mm, h 160 cm

Arched end dia. 40 mm

Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 3/4"

### Alternative Faucets

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

### **Options**

• Satin finish	[cod. 55.001]
<ul><li> Mounting backplate</li><li> Foot rinse</li></ul>	[cod. 50.101]
(faucet Stella & "Loft" or "Flavia" showerhead)  • Telephone showerhead	[cod. 54.001] [cod. 53.001]
• Water service output 1/2"	[cod. 56.001]



## In-ground Mounting Configuration

Cod: 02.047

Description: In-ground mounting variant


**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Main body dia.140 mm, 250 cm

(90 cm in-ground) Arched end dia. 40 mm Showerhead height 210 cm



# INOX TYLE MELODY 2B








[cod. 51.200]

[cod. 51.001]

[cod. 51.003]



Cod: 01.027

Name: Melody 3B Shower

**Description:** Shower in a unique body, with a circular cross

section and three arched arms arranged at 120°

## Standard Configuration

Single shower body with three arms

Faucet: "Stella" faucet [cod. 51.002]

BEACH Showerhead: "Disco" showerhead dia. 200 mm [cod. 52.002]

Mounting: Bottom plate dia. 280 mm [cod. 50.005]

Measurements: Main body dia.140 mm, h 160 cm

Arched end dia. 40 mm

Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 3/4"

## In-ground Mounting Configuration



Cod: 02.049

Description: In-ground mounting variant

**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Main body dia.140 mm, 250 cm

(90 cm in-ground) Arched end dia. 40 mm Showerhead height 210 cm

### Alternative Faucets

Timed flow faucet

• Mixer

• "Genius" electronic faucet


Alternative Showerheads	
• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

### **Options**

<ul><li>Satin finish</li><li>Mounting backplate</li><li>Foot rinse</li></ul>	[cod. 55.001] [cod. 50.101]
(faucet Stella & "Loft" or "Flavia" showerhead)  • Telephone showerhead  • Water service output 1/2"	[cod. 54.001] [cod. 53.001] [cod. 56.001]



# MELODY 3B




## INOX FYÎLE MELODY 4B

[cod. 51.200]

[cod. 51.001]

[cod. 51.003]

[cod. 52.104]



Cod: 01.050

Name: Melody 4B Shower

**Description:** Shower in a unique body, with a circular cross

section and four perpendicular arched arms

## Standard Configuration

Single shower body with four arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Disco" showerhead dia. 200 mm [cod. 52.002]

Mounting: Bottom plate dia. 280 mm [cod. 50.005]

Measurements: Main body dia.140 mm, h 160 cm

Arched end dia. 40 mm

Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 3/4"

## In-ground Mounting Configuration



Cod: 02.146

Description: In-ground mounting variant

Mounting: In-ground mounting [cod. 50.100]

Measurements: Main body dia.140 mm, 250 cm

(90 cm in-ground) Arched end dia. 40 mm Showerhead height 210 cm

#### Alternative Faucets

Timed flow faucet

• Mixer

• "Genius" electronic faucet

• "Zoe" showerhead 150 x 150 mm


Alternative Showerheads	
• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]

#### **Options**

• Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
• Foot rinse	
(faucet Stella & "Loft" or "Flavia" showerhead)	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]



# MELODY 4B







# **ARMONIA**

av p se

ave-shaped waterfall for swimming pool ledge, with a rectangular cross section.

### AESTHETIC CHARACTERISTICS and FUNCTIONAL

Waterfall completely in stainless steel AISI 316L, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

### UNIQUE ELEMENTS

**Customization,**, upon request, of the profile shape of the waterfall.






### INOX TYLE

### WATERFALL ARMONIA





Cod: 07.036

Name: Armonia Waterfall

Description: Wave-shaped waterfall for swimming pool ledge,

with a rectangular cross section

Standard Configuration

Mounting: Visible mounting

Measurements: Main body 200x100 mm

Height tot. 65 cm - Aperture 200 mm

Base 300x200 mm

Materials: AISI 316L stainless steel

Finish: Glossy, mirror-like manual polishing, "nautical"

[cod. 55.001]

level quality


Hook-up: Water input 2"

Options

Satin finish



## INOX TYLE WATERFALL ARMONIA







## YACHT RIVA AURORA MARE NOSTRUM





# YACHT

utdoor shower. Single arched body, with oval cross section and integrated, fixed showerhead.
Also available in the version Beach&Garden with in-ground mounting, suitable for beaches and gardens.

AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Product made in a single piece: no block assembly or junctions.

Very few visible screws: reduction of components that are prone to oxidization and wonderful aesthetics.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Faucet assembly produced exclusively for the shower.

Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.


Possibility of quick connection base to more easily remove the shower. Easy storage in the winter months and tamper-proof security.














Name: Yacht Shower

Description: Single arched body, with oval cross section and

integrated, fixed showerhead.

### Standard Configuration

Single shower

**Faucet:** Mixer [cod. 51.001] **Showerhead:** Showerhead integrated

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia.76 mm

oval 76x35 mm, h 220 cm

Materials: AISI 316L stainless steel, quick coupling fitting

system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"



### In-ground Mounting Configuration

Cod: 02.143

**Description:** In-ground mounting variant

**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Body dia. 76 mm, oval 76x35 mm,

h 310 cm (90 cm in-ground)

### **Alternative Faucets**

• "Genius" electronic faucet [cod. 51.200]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

### **Options**


Satin finish [cod. 55.001]
 Mounting backplate [cod. 50.101]
 Quick connection base [cod. 50.200]
 Foot rinse (Faucet faucet & "Loft" or "Flavia" showerhead)

[cod. 54.001]

Telephone showerhead [cod. 53.001]
Water service output 1/2" [cod. 56.001]









## RIVA

utdoor shower. Single body circular crosssection with elbow fitted arm. Also available in the "Beach and Garden" model with in-ground installation suitable

Also available in the "Florida" model with elbow fitted arm and steel and wooden raised platform for above ground installation.

for beaches and gardens.

### AESTHETIC & FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

No visible screws: reduction of components that are prone to oxidization and wonderful aesthetics.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional water service output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Faucet body made exclusively for the shower.

Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.


Possibility of quick connection base to more easily remove the shower. Easy storage in the winter months and tamper-proof security.














Cod: 01.006
Name: Riva shower

Description: Single body, with circular cross section and arm

with arched connector

### Standard Configuration

Single shower

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** "Loft" showerhead dia. 70 mm [cod. 52.005]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia. 60 mm

Height 230 cm

Materials: AISI 316L stainless steel, quick connection water

coupling

Finish: Glossy, mirror-like manual polishing, "Nautical"

level quality

Hook-up: Water input 1/2"



### In- ground installation Configuration

Cod: 02.007

Description: Variant for in-ground installation

Mounting: In-ground Mounting [cod. 50.100]

Measurements: Body dia. 60 mm

Height h 320 cm (90 cm in-ground)

### Alternative Faucets

"Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
<ul> <li>Quick connection base</li> </ul>	[cod. 50.200]
• Foot rinse ("Stella" faucet,	
"Loft" or "Flavia" showerhead)	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]














**Alternative Faucets** 

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

### **Options**

Satin finish	[cod. 55.001]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]

Cod: 01.003

Name: Florida Shower

Description: Shower in a unique body of circular cross-section

with arm with curved connection with platform

in steel and wood raised for mounting

out of the ground

### Standard Configuration

Single shower with TATAJUBA wood 80x80 120 mm raised footboard with 4 support feet on the

ground.

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Ocean" showerhead dia. 150 mm [cod. 52.006]

Mounting: No mounting Measurements: Body dia.60 mm

Height 240 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

Extra: Mounting option on sand, with appropriate setup











# AURORA

ingle body, T-shaped shower, with a circular cross section, with four perpendicular arms. Also available in a version with two arms, opposite to each other, or with three arms, arranged at 120°.

Also available in the version Beach&Garden with inground mounting, suitable for beaches and gardens.

### AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

Invisible mounting plate cover hides screws on the mounting base: better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Faucet assembly produced exclusively for the shower.


Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.

Possibility of quick connection base to more easily remove the shower. Easy storage in the winter months and tamper-proof security.









Name: Aurora 2B Shower

**Description:** Single body, T-shaped shower, with a circular cross

section with two arched arms, opposite to each

other

### Standard Configuration

Single shower body with two arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Disco" showerhead dia. 200 mm [cod. 52.002]

Mounting: Bottom plate dia. 280 mm [cod. 50.005]

Measurements: Main body dia.140 mm, h 220 cm

Shower arms dia. 40 mm Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 3/4"



### **In-ground Mounting Configuration**

Cod: 02.004

Description: In-ground mounting variant

Mounting: In-ground mounting [cod. 50.100]

Measurements: Main body dia.140 mm, h 330 cm (90 cm in-

ground). Shower arms dia. 40 mm

Showerhead height 210 cm

### Alternative Faucets

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

Alternative Showerheads	
<ul> <li>"Beauty" showerhead dia. 225 mm</li> <li>"Evo" showerhead 200 x 200 mm</li> <li>"Evo" showerhead dia. 200 mm</li> <li>"Flavia" showerhead 75 x 75 mm</li> <li>"Loft" showerhead dia. 65 mm</li> <li>"Loft" showerhead dia. 70 mm</li> <li>"Ocean" showerhead dia. 150 mm</li> <li>"Stylo" showerhead 200 x 200 mm</li> </ul>	[cod. 52.001] [cod. 52.101] [cod. 52.003] [cod. 52.102] [cod. 52.004] [cod. 52.005] [cod. 52.006] [cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

• Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
• Foot rinse (faucet Stella & "Loft" or	
"Flavia" showerhead)	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]




## INOX TYLE AURORA 2B









Name: Aurora 3B Shower

**Description:** Single body, T-shaped shower, with a circular cross

section, with three arms at 120°

### Standard Configuration

Single shower body with three arms

"Stella" faucet [cod. 51.002]

Showerhead: "Disco" showerhead dia. 200 mm [cod. 52.002]

Mounting: Bottom plate dia. 280 mm [cod. 50.005]

Measurements: Main body dia.140 mm, h 220 cm

Shower arms dia. 40 mm Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 3/4"

In-ground Mounting Configuration



Cod: 02.140

Description: In-ground mounting variant

**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Main body dia.140 mm,

h 330 cm (90 cm in-ground) Shower arms dia. 40 mm Showerhead height 210 cm

### Alternative Faucets

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	
[cod. 51.003]	


### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]


• Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	" showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]



# INOX TYÜE AURORA 3B







Name: Aurora 4B Shower

**Description:** Single body, T-shaped shower, with a circular cross

section, with four perpendicular arms

### Standard Configuration

Single shower body with four arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Disco" showerhead dia. 200 mm [cod. 52.002]

Mounting: Bottom plate dia. 280 mm [cod. 50.005]

Measurements: Main body dia.140 mm, h 220 cm

Shower arms dia. 40 mm Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 3/4"

In-ground Mounting Configuration



Cod: 02.003

Description: In-ground mounting variant

Mounting: In-ground mounting [cod. 50.100]

Measurements: Main body dia.140 mm, h 330 cm

(90 cm in-ground) Shower arms dia. 40 mm Showerhead height 210 cm

### Alternative Faucets

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod 52 104]

• Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]



# NOX TYLE AURORA 4B







# TECNO CUBE TECNO CUBE 100

### TEMPI MODERNI







# TECNO

O

utdoor shower. Single body, with circular cross section and arm with beveled connector.

Also available in the version Beach & Garden with in-ground installation, suitable for beaches and gardens.

### AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

No visible screws: reduction of components that are prone to oxidization and wonderful aesthetics.

**Invisible mounting:** plate cover hides screws on the mounting base; better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Faucet assembly produced exclusively for the shower.

Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.

Possibility of quick connection base to more easily remove the shower. Easy storage in the winter months and tamper-proof security.











Alternative Faucets

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

[cod. 52.001]
[cod. 52.002]
[cod. 52.101]
[cod. 52.003]
[cod. 52.102]
[cod. 52.004]
[cod. 52.006]
[cod. 52.103]
[cod. 52.104]

### **Options**

Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
<ul> <li>Quick connection base</li> </ul>	[cod. 50.200]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]

Cod: 01.014

Name: Tecno Shower

Description: Single body, with circular cross section and arm

with beveled connector

### Standard Configuration

Single body

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Loft" showerhead dia. 70 mm [cod. 52.005]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia. 60 mm

Height 220 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"



### In-ground Mounting Configuration

Cod: 02.017

Description: In-ground mounting variant


**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Body dia. 60 mm

Height 300 cm (90 cm in-ground)











## TECNO CUBE

utdoor shower, with square cross section and a single arm with beveled connector. Available also in the version with a double diffuser or dual, T-shaped arms on opposite sides. Also available in the T-shape version with three arm at 90° angles or with four perpendicular arms.

It is also possible to request the Beach&Garden model with in-ground installation suitable for beaches and gardens

### AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower completely made of AISI 316L stainless steel, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

No visible screws: reduction of components that are prone to oxidization and wonderful aesthetics.

**Invisible mounting:** plate cover hides screws on the mounting base: better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Electronic faucet with timer and hydro-massage functions. Aesthetically pleasant and antitampering.

Faucet assembly produced exclusively for the shower.


Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.

Possibility of quick connection base to more easily remove the shower. Easy storage in the winter months and tamper-proof security.









Name: Tecno Cube Shower

**Description:** Shower, with square cross section and a single arm

with beveled connector

### Standard Configuration

Single body

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** "Zoe" showerhead 150 x 150 mm [cod. 52.104]

Mounting: Bottom plate 170x170 mm [cod. 50.002]

Measurements: Body 60x60 mm

Height 220 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

### In-ground Mounting Configuration

Cod: 02.016

Description: In-ground mounting variant

Mounting: In-ground mounting [cod. 50.100]

Measurements: Body 60x60 mm

Height 300 cm (90 cm in-ground)

### Alternative Faucets

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
Timed flow faucet	[cod 51 003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52,103]

• Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
<ul> <li>Quick connection base</li> </ul>	[cod. 50.200]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	' showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]




# TECNO CUBE







### CUBE square



### **Alternative Faucets**

"Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

### **Options**

Satin finish	[cod. 55.001]
<ul> <li>Quick connection base</li> </ul>	[cod. 50.200]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	" showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** "Flavia" showerhead 75 x 75 mm [cod. 52.102]

Mounting: Bottom plate 170x170 mm [cod. 50.002]

Measurements: Body 60x60 mm

Height 220 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

Extra: Photocells columns



### In-ground Mounting Configuration

Cod: 02.144

Description: In-ground mounting variant

Mounting: In-ground mounting [cod. 50.100]

Measurements: Body 60x60 mm

Height 300 cm (90 cm in-ground)




## INOX TYLE TECNO CUBE square







### TECNO CUBE 100 2B



Cod: 01.035

Name: Tecno Cube 100 2B Shower

**Description:** Shower with a square cross section and double T-

shaped arm, opposite to each other

### **Standard Configuration**

Single shower body with two arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Zoe" showerhead 150 x 150 mm [cod. 52.104]

Mounting: Bottom plate 250x250 mm [cod. 50.003]

Measurements: Main body 100x100 mm, h 220 cm

Shower arms dia. 40 mm Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 3/4"

## & BEACH & GARDEN

### In-ground Mounting Configuration

Cod: 02.148

Description: In-ground mounting variant

**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Main body 100x100 mm,

h 300 cm (90 cm in-ground) Shower arms dia, 40 mm

#### **Alternative Faucets**

"Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]

### **Options**

• Satin finish	cod.	55.001]
Mounting backplate	[cod.	50.101]

• Foot rinse (faucet Stella & "Loft" or "Flavia" showerhead)


[cod. 54.001]

• Telephone showerhead [cod. 53.001]

• Water service output 1/2" [cod. 56.001]




## INOX TYLE TECNO CUBE 100 2B





## INOX TYLE

## TECNO CUBE 100 3B



Cod: 01.037

Name: Tecno Cube 100 3B Shower

**Description:** T-shaped shower with a square cross section

with three arms at 90°

### **Standard Configuration**

Single shower body with three arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Zoe" showerhead 150 x 150 mm [cod. 52.104]

Mounting: Bottom plate 250x250 mm [cod. 50.003]

Measurements: Main body 100x100 mm, h 220 cm

Shower arms dia. 40 mm Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

**Hook-up:** Water input 3/4"



### **In-ground Mounting Configuration**

Cod: 02.149

Description: In-ground mounting variant

**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Main body 100x100 mm,

h 300 cm (90 cm in-ground) Shower arms dia, 40 mm

#### **Alternative Faucets**

"Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]

### **Options**

• Satin finish	cod.	55.001]
Mounting backplate	[cod.	50.101]

• Foot rinse (faucet Stella & "Loft" or "Flavia" showerhead)


[cod. 54.001]

• Telephone showerhead [cod. 53.001]

• Water service output 1/2" [cod. 56.001]




## INOX TYLE TECNO CUBE 100 3B





## INOX TYLE

## TECNO CUBE 100 4B



Cod: 01.147

Name: Tecno Cube 100 4B Shower

**Description:** T-shaped shower with a square cross section, with

four perpendicular arms

### **Standard Configuration**

Single shower body with four arms

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Zoe" showerhead 150 x 150 mm [cod. 52.104]

Mounting: Bottom plate 250x250 mm [cod. 50.003]

Measurements: Main body 100x100 mm, h 220 cm

Shower arms dia. 40 mm Showerhead height 210 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

**Hook-up:** Water input 3/4"



### **In-ground Mounting Configuration**

Cod: 02.150

**Description:** In-ground mounting variant

**Mounting:** In-ground mounting [cod. 50.100]

Measurements: Main body 100x100 mm,

h 300 cm (90 cm in-ground) Shower arms dia, 40 mm

#### **Alternative Faucets**

"Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]

### **Options**

Satin finish [cod. 55.001]Mounting backplate [cod. 50.101]

• Foot rinse (faucet Stella & "Loft" or "Flavia" showerhead)

[cod. 54.001]

• Telephone showerhead [cod. 53.001]

• Water service output 1/2" [cod. 56.001]



# TECNO CUBE 100 4B







## NIAGARA COLORADO BIRDY TELEPHONE PELLICANO

### BEAUTY STANDS OUT







## NIAGARA

ingle body fountain, with a circular cross section, with circular collection tank.

Also available in a version without collection tank. Also available in the version with a square cross section.

AESTHETIC and FUNCTIONAL CHARACTERISTICS

Completely in stainless steel AISI 316L, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Faucet assembly produced exclusively for the fountain..

Faucet fully integrated con il Body della Fountain. Absence of limestone or rust deposits.

Electronic faucet with timer function. Aesthetically pleasant and anti-tampering.


Possibility of quick connection base to move the fountain more easily. Easy storage in the winter months and tamper-proof security.





# NIAGARA





Cod: 05.008

Name: Niagara Fountain

Description: Single body fountain, with a circular cross section

### Standard Configuration

Fountain

Faucet: Timed flow faucet [cod. 51.003]

Mounting: Bottom plate dia. 280 mm [cod. 50.005]

Measurements: Main body dia.140 mm

Height tot. 110 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"


### **Alternative Faucets**

•	Electronic faucet (ON/OFF switch)	[cod. 51.100]	
•	"Stella" faucet	[cod. 51.002]	

• Satin finish	[cod. 55.001]
<ul> <li>In-ground mounting</li> </ul>	[cod. 50.100]
• Water service output 1/2"	[cod. 56.001]









# NIAGARA CUBE

Cod: 05.021

Name: Niagara Cube Fountain

Description: Single body fountain, with a square cross section

### **Standard Configuration**

Fountain

Faucet: Timed flow faucet [cod. 51.003]

Mounting: Bottom plate 170x170 mm [cod. 50.002]

Measurements: Main body 100x100 mm

Height tot. 110 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

### Alternative Faucets

[cod. 51.100] • Electronic faucet (ON/OFF switch) • "Stella" faucet [cod. 51.002]

### **Options**

• Satin finish [cod. 55.001] • In-ground mounting [cod. 50.100] • Water service output 1/2" [cod. 56.001]



# NIAGARA CUBE







## NIAGARA RIO









Cod: 05.029

Name: Niagara Rio Fountain

Description: Single body fountain, with a circular cross section

with circular collection tank

### Standard Configuration

Fountain with a collection basin

Faucet: Timed flow faucet [cod. 51.003]

Mounting: Visible mounting

Measurements: Main body dia.140 mm, h 110 cm

Water collection tank dia. 300

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

#### **Alternative Faucets**

• Electronic faucet (ON/OFF switch) [cod. 51.100] • "Stella" faucet [cod. 51.002]

### **Options**

• Satin finish [cod. 55.001] • Water service output 1/2" [cod. 56.001]



man -

# NIAGARA RIO







## **COLORADO**

ingle body fountain, with a square cross section, with square collection tank with cylindrical edges.

### AESTHETIC and FUNCTIONAL CHARACTERISTICS

Fountain Completely in stainless steel AISI 316L, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**


Electronic faucet with timer function.
Aesthetically pleasant and antitampering.









## COLORADO









Name: Colorado Fountain

Description: Single body fountain, with a square cross section,

with square collection tank with cylindrical edges.

### Standard Configuration

Fountain with a collection basin

Faucet: Timed flow faucet [cod. 51.003]

Mounting: Floor mounting

Measurements: Main body 100X100 mm

Height tot. 110 cm

Water collection tank 430X350 mm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

**Hook-up:** Water input 1/2"

#### **Alternative Faucets**

• Electronic faucet (ON/OFF switch) [cod. 51.100] • "Stella" faucet [cod. 51.002]

### **Options**

• Satin finish [cod. 55.001] • Water service output 1/2" [cod. 56.001]



## INOX TYLE COLORADO







## BIRDY

ingle body, birdbath shaped fountain, with a circular cross section.

### AESTHETIC and FUNCTIONAL CHARACTERISTICS

Fountain Completely in stainless steel AISI  $316L,\ \text{in both body}$  and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

Optional auxiliary water output with ½" metal nozzle.


### UNIQUE ELEMENTS


Electronic faucet with timer function.
Aesthetically pleasant and antitampering.











Cod: 05.062

Name: Birdy Fountain

Description: Single body fountain, birdbath shaped fountain,

with a circular cross section

### Standard Configuration

Faucet: Fountain

Mounting: "Stella" faucet [cod. 51.002]

Measurements: Bottom plate dia. 280 mm [cod. 50.005]

Materials: Body dia.140 mm, h 110 cm

AISI 316L stainless steel, quick connection cou-

Finish: pling system

Glossy, mirror-like manual polishing, "nautical"

Hook-up: level quality

Water input 1/2"

### **Alternative Faucets**

• Electronic faucet (ON/OFF switch) [cod. 51.100] • "Stella" faucet [cod. 51.002]

• Satin finish	[cod. 55.001]
• In-ground mounting	[cod. 50.100]
• Water service output 1/2"	[cod. 56.001]











# TELEPHONE

olumn, with a circular cross section, with handshower. Also available in a version with dispenser button.

It is also possible to request the model with a square cross section and handshower, with or without dispenser button.

AESTHETIC and FUNCTIONAL CHARACTERISTICS

Column Completely in stainless steel AISI 316L, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

Invisible mounting plate cover hides screws on the mounting base: better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Faucet assembly produced exclusively for the column.

Faucet fully integrated with the body of the column. Smaller size and no limestone or rust deposits.

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Customization (text or logos, lights) is possible upon request.







Cod: 04.023

Name: Telephone Column

Description: Column, with a circular cross section, with han-

dshower

### Standard Configuration

Column

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** Telephone showerhead [cod. 53.001]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia. 76 mm

Height tot. 100 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"


level quality


Hook-up: Water input 1/2"

### **Alternative Faucets**

•	Electronic faucet (Brewing switch)	[cod. 51.100]
•	Mixer	[cod. 51.001]
•	"Stella" faucet	[cod. 51.002]
•	Timed flow faucet	[cod. 51.003]

Satin finish	[cod. 55.001]
<ul> <li>In-ground mounting</li> </ul>	[cod. 50.100]
• Water service output 1/2"	[cod. 56.001]







# TELEPHONE








## TELEPHONE CUBE





Cod: 04.024

Name: Telephone Cube Column

Description: Column, with a square cross section, with han-

dshower

### **Standard Configuration**

Column

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** Telephone showerhead [cod. 53.001]

Mounting: Bottom plate 170x170 mm [cod. 50.002]

Measurements: Body 60x60 mm

Height tot. 100 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

### **Alternative Faucets**

• Electronic faucet (Brewing switch)	[cod. 51.100]
• Mixer	[cod. 51.001]
• Faucet "Stella"	[cod. 51.002]
• Timed flow faucet	[cod. 51.003]

• Satin finish	[cod. 55.001]
• In-ground mounting	[cod. 50.100]
• Water service output 1/2"	[cod. 56.001]



# TELEPHONE CUBE







Cod: 04.013

Name: Shut off Column

Description: Column, with a circular cross section, with han-

dshower with dispenser button

### **Standard Configuration**

Column, with handshower with dispenser (but-

ton) included

Faucet: Handshower Shut-off

**Showerhead:** Telephone showerhead [cod. 53.002]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia. 76 mm

Height tot. 100 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"


level quality

Hook-up: Water input 1/2"

### Alternative Faucets

• Electronic faucet (Brewing switch)	[cod. 51.100]
• Mixer	[cod. 51.001]
• "Stella" faucet	[cod. 51.002]
• Timed flow faucet	[cod. 51.003]

Satin finish	[cod. 55.001]
In-ground mounting	[cod. 50.100]
• Water service output 1/2"	[cod. 56.001]



# SHUT OFF







## SHUT OFF CUBE



Cod: 04.014

Name: Shut off Cube Column

Description: Column, with a square cross section, with han-

dshower with dispenser button

### **Standard Configuration**

Column, with handshower with dispenser (but-

ton) included

Faucet: Handshower Shut-off

**Showerhead:** Telephone showerhead [cod. 53.002]

Mounting: Bottom plate 170x170 mm [cod. 50.002]

Measurements: Body 60x60 mm

Height tot. 100 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"


### **Alternative Faucets**

• Electronic faucet (Brewing switch)	[cod. 51.100]
• Mixer	[cod. 51.001]
• "Stella" faucet	[cod. 51.002]
<ul> <li>Timed flow faucet</li> </ul>	[cod. 51.003]

• Satin finish	[cod. 55.001]
• In-ground mounting	[cod. 50.100]
• Water service output 1/2"	[cod. 56.001]











## PELLICANO

oot washer with circular cross section. Also available in a version with double diffuser, opposite to each other. It is also possible to request the model with a square cross section, with or without the double diffuser, opposite to each other.

### AESTHETIC and FUNCTIONAL CHARACTERISTICS

Column Completely in stainless steel AISI 316L, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

**Invisible mounting** plate cover hides screws on the mounting base: better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and antiobstruction.

Optional auxiliary water output with ½" metal nozzle.

### **UNIQUE ELEMENTS**

Faucet assembly produced exclusively for the column.

Faucet fully integrated into the shower body. Smaller size and no limestone or rust deposits.

Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Customization (text or logos, lights) is possible upon request.








## FOOT RINSE PELLICANO





Cod: 06.009

Name: Pellicano Foot rinse

**Description:** Foot washer with a circular cross section

#### Standard Configuration

Foot rinse

Faucet: "Stella" faucet [cod. 51.002]

Showerhead: "Loft" showerhead dia. 70 mm [cod. 52.005]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia.76 mm

Height tot. 100 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

Extra: Tank for draining water

#### **Alternative Faucets**

• Electronic faucet (Brewing switch)	[cod. 51.100]
• Mixer	[cod. 51.001]
Timed flow faucet	[cod. 51.003]

#### **Options**

• Satin finish	[cod. 55.001]
<ul> <li>Mounting backplate</li> </ul>	[cod. 50.101]
<ul> <li>In-ground mounting</li> </ul>	[cod. 50.100]
<ul> <li>Telephone showerhead</li> </ul>	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]





## FOOT RINSE PELLICANO








## FOOT RINSE PELLICANO DUO





Cod: 06.063

Name: Pellicano Duo Foot rinse

**Description:** Foot washer with a circular cross section with

double diffuser opposite to each other

#### Standard Configuration

2 showerheads, opposite to each other

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** "Loft" showerhead dia. 70 mm [cod. 52.005]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia. 100 mm

Height tot. 100 cm

Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

#### **Alternative Faucets**

• Electronic faucet (Brewing switch)	[cod. 51.100]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]


#### **Options**

- F	
• Satin finish	[cod. 55.001]
• In-ground mounting	[cod. 50.100]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]






## FOOT RINSE PELLICANO DUO







## FOOT RINSE PELLICANO CUBE



Cod: 06.033

Name: Pellicano Cube Duo Foot rinse

**Description:** Foot washer with a square cross section

with double diffuser, opposite to each other

#### Standard Configuration

2 showerheads, opposite to each other

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** "Flavia" showerhead 75 x 75 mm [cod. 52.102]

**Mounting:** Bottom plate 170x170 mm [cod. 50.002]

Measurements: Body 100x100 mm

Height tot. 100 cm


Materials: AISI 316L stainless steel, quick connection cou-

pling system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"



Cod: 06.032

Name: Pellicano Cube Foot rinse

**Description:** Foot washer with a square cross section

#### **Standard Configuration**

Foot rinse

Faucet: "Stella" faucet [cod. 51.002]

**Showerhead:** "Flavia" showerhead 75 x 75 mm [cod. 52.102]

Mounting: Bottom plate 170x170 mm [cod. 50.002]

Measurements: Body 100x100 mm

Height tot. 100 cm

Materials: AISI 316L stainless steel,

quick coupling fitting system

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2"

#### **Alternative Faucets**

• Electronic faucet (Brewing switch)	[cod. 51.100]
• Mixer	[cod. 51.001]
• Timed flow faucet	[cod. 51.003]

#### **Options**

- F	
• Satin finish	[cod. 55.001]
<ul> <li>In-ground mounting</li> </ul>	[cod. 50.100]
Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]





## FOOT RINSE PELLICANO CUBE







### BROOKLYN CUBE RUBINO

MIND THE GAP









## **BROOKLYN**

hower archway, with a circular cross section, with two inclined diffusers.

It is also possible to request the model with a square cross section, with three diffusers, or with a circular cross section, with three diffusers.

AESTHETIC and FUNCTIONAL CHARACTERISTICS

Shower a varco Completely in stainless steel AISI 316L, in both body and screws.

Mirror-like polishing ("Nautical" quality, manually done): less vulnerable to the elements.

Very few visible screws: reduction of components prone to oxidation.

Invisible mounting plate cover hides screws on the mounting base: better accident prevention and no limestone or rust deposits.

Showerhead with silicone rubber: anti-limestone and anti-obstruction.

Optional auxiliary water output with ½" metal nozzle.

#### **UNIQUE ELEMENTS**


Electronic faucet with timer and hydro-massage functions.
Aesthetically pleasant and antitampering.

Customization (text or logos, lights) is possible upon request.









#### **Alternative Faucets**

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• "Stella" faucet	[cod. 51.002]
• Timed flow faucet	[cod. 51.003]

#### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

#### **Options**

Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	' showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]

Cod: 03.012

Name: Shower archway Brooklyn

**Description:** Shower archway with a circular cross section

with two inclined diffusers

#### Standard Configuration

2 showerheads - Main body dia. 60 mm.

**Showerhead:** "Loft" showerhead dia. 70 mm [cod. 52.005]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Main body dia.60 mm,

Arc dia. 30 mm, Height tot. 230 cm,

Archway width 120cm

Materials: AISI 316L stainless steel

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

**Hook-up:** Water input 1/2" a sinistra

Extra: In-ground mounting

Photocells columns














#### **Alternative Faucets**

• "Genius" electronic faucet [cod. 51.200]

Mixer [cod. 51.001]
 "Stella" faucet [cod. 51.002]
 Timed flow faucet [cod. 51.003]

#### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

#### **Options**

• Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
• Foot rinse (faucet Stella & "Loft" or "Flavia"	' showerhead)
	[cod. 54.001]
• Telephone showerhead	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]

Cod: 03.033

Name: Shower archway Cube

**Description:** Shower archway with a square cross section

with three diffusers

#### **Standard Configuration**

1 "Evo" showerhead 200x200 + 2 lateral showerhe-

ads Flavia 75x75 - No Faucet (see options)

**Showerhead:** "Evo" showerhead 200 x 200 mm [cod. 52.101]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Main body 100x100 mm, h 230

Archway width 120cm

Materials: AISI 316L stainless steel

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality

Hook-up: Water input 1/2" bilateral

Photocells columns

Extra: Alternative: single central diffuser.














#### **Alternative Faucets**

• "Genius" electronic faucet	[cod. 51.200]
• Mixer	[cod. 51.001]
• "Stella" faucet	[cod. 51.002]
• Timed flow faucet	[cod. 51.003]

#### Alternative Showerheads

• "Beauty" showerhead dia. 225 mm	[cod. 52.001]
• "Disco" showerhead dia. 200 mm	[cod. 52.002]
• "Evo" showerhead 200 x 200 mm	[cod. 52.101]
• "Evo" showerhead dia. 200 mm	[cod. 52.003]
• "Flavia" showerhead 75 x 75 mm	[cod. 52.102]
• "Loft" showerhead dia. 65 mm	[cod. 52.004]
• "Loft" showerhead dia. 70 mm	[cod. 52.005]
• "Ocean" showerhead dia. 150 mm	[cod. 52.006]
• "Stylo" showerhead 200 x 200 mm	[cod. 52.103]
• "Zoe" showerhead 150 x 150 mm	[cod. 52.104]

#### **Options**

• Satin finish	[cod. 55.001]
Mounting backplate	[cod. 50.101]
• Foot rinse (faucet Stella & "Loft" or "Flavia" showerhead)	
	[cod. 54.001]
<ul> <li>Telephone showerhead</li> </ul>	[cod. 53.001]
• Water service output 1/2"	[cod. 56.001]

Cod: 03.057

Name: Shower archway Rubino S3

Description: Shower archway with a circular cross section

with three diffusers

#### **Standard Configuration**

1 "Evo" showerhead dia 200 - 2 lateral showerhe-

ads "Loft"

**Showerhead:** "Evo" showerhead 200 x 200 mm [cod. 52.101]

Mounting: Bottom plate dia. 170 mm [cod. 50.004]

Measurements: Body dia. 60 mm Height h 220 cm

Archway width 120cm

Materials: AISI 316L stainless steel

Finish: Glossy, mirror-like manual polishing, "nautical"

level quality


**Hook-up:** Water input 1/2" to the left

Photocells columns

Extra: Alternative: single central diffuser.



# NOX TYLE RUBINO S3







#### **INOXSTYLE S.R.L.**

Offices: Piazza Romboni, 20 - 55041 Camaiore (LU) - Italy

Tel. +39 0584 1716108 Fax. +39 0584 1712028 email: info@inoxstyle.com http://www.inoxstyle.com

#### Showrooms and exhibition:

Via Sarzanese, 111 - 55045 Pietrasanta (LU)

Catalogo INOXSTYLE versione inglese

Progetto a cura di Salmoria&Associati - Firenze

Art & Foto di Michele Monasta Set a cura di Elena Bianchini